



Image représentative

## n° de catalogue TG4321

**Description: 30A 3P GD N1 240V SWITCH**

**UPC No 783164008630**

**Accueil > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > General Duty**

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 30A 3P GD N1 240V SWITCH

### Descripteurs

|           |              |
|-----------|--------------|
| Catégorie | General Duty |
|-----------|--------------|

### Spécifications

|                           |                    |
|---------------------------|--------------------|
| Amperage                  | 30 A               |
| Poles                     | 3                  |
| Wires                     | 4                  |
| Fusing                    | Fusible            |
| Enclosure                 | NEMA 1 (Indoor)    |
| Wire Range (Cu/Al)        | 12-8 AL<br>14-8 CU |
| 240 Vac, NEC Std, 1-ph    | 1.5                |
| 240 Vac, NEC Std, 3-ph    | 3                  |
| 240 Vac, Time Delay, 1-ph | 3                  |
| 240 Vac, Time Delay, 3-ph | 7.5                |
| 250 Vdc                   | 5                  |
| GSA Compliance            | Yes                |

### Classifications

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

### Dimensions

|        |       |
|--------|-------|
| Height | 10.28 |
| Depth  | 3.31  |
| Width  | 6.38  |
| Weight | 5     |



Representative Image

## Catalog No. TG4321R

**Description: 30A 3P GD N3R 240V FUSIBLE SW**

**UPC No 783164008623**

**Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > General Duty**

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 30A 3P GD N3R 240V FUSIBLE SW

### Descriptors

|          |              |
|----------|--------------|
| Category | General Duty |
|----------|--------------|

### Specifications

|                           |                    |
|---------------------------|--------------------|
| Amperage                  | 30 A               |
| Poles                     | 3                  |
| Wires                     | 4                  |
| Fusing                    | Fusible            |
| Enclosure                 | NEMA 3R (Outdoor)  |
| Wire Range (Cu/Al)        | 12-8 AL<br>14-8 CU |
| 240 Vac, NEC Std, 1-ph    | 1.5 hp             |
| 240 Vac, NEC Std, 3-ph    | 3 hp               |
| 240 Vac, Time Delay, 1-ph | 3 hp               |
| 240 Vac, Time Delay, 3-ph | 7.5 hp             |
| 250 Vdc                   | 5 hp               |
| GSA Compliance            | Yes                |

### Classifications

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

### Dimensions

|        |         |
|--------|---------|
| Height | 9.78 in |
| Depth  | 3.31 in |
| Width  | 6.38 in |
| Weight | 6 lb    |



Representative Image

## Catalog No. TG4322

**Description: 60A 3P GD N1 240V FUSIBLE SWITCH**

**UPC No 783164008654**

**Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > General Duty**

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 60A 3P GD N1 240V FUSIBLE SWITCH

### Descriptors

|          |              |
|----------|--------------|
| Category | General Duty |
|----------|--------------|

### Specifications

|                           |                 |
|---------------------------|-----------------|
| Amperage                  | 60 A            |
| Poles                     | 3               |
| Wires                     | 4               |
| Fusing                    | Fusible         |
| Enclosure                 | NEMA 1 (Indoor) |
| Wire Range (Cu/Al)        | 12-2            |
| 240 Vac, NEC Std, 1-ph    | 3               |
| 240 Vac, NEC Std, 3-ph    | 7.5             |
| 240 Vac, Time Delay, 1-ph | 10              |
| 240 Vac, Time Delay, 3-ph | 15              |
| 250 Vdc                   | 10              |
| GSA Compliance            | Yes             |

### Classifications

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

### Dimensions

|        |       |
|--------|-------|
| Height | 13.84 |
| Depth  | 4     |
| Width  | 8.38  |
| Weight | 10    |

**by ABB**



Representative Image

## Catalog No. TG4322R

**Description: 60A 3P GD N3R 240V FUSIBLE SW**

**UPC No 783164008647**

**Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > General Duty**

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 60A 3P GD N3R 240V FUSIBLE SW

### Descriptors

|          |              |
|----------|--------------|
| Category | General Duty |
|----------|--------------|

### Specifications

|                           |                   |
|---------------------------|-------------------|
| Amperage                  | 60 A              |
| Poles                     | 3                 |
| Wires                     | 4                 |
| Fusing                    | Fusible           |
| Enclosure                 | NEMA 3R (Outdoor) |
| Wire Range (Cu/Al)        | 12-2              |
| 240 Vac, NEC Std, 1-ph    | 3 hp              |
| 240 Vac, NEC Std, 3-ph    | 7.5 hp            |
| 240 Vac, Time Delay, 1-ph | 10 hp             |
| 240 Vac, Time Delay, 3-ph | 15 hp             |
| 250 Vdc                   | 10 hp             |
| GSA Compliance            | Yes               |

### Classifications

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

### Dimensions

|        |          |
|--------|----------|
| Height | 13.68 in |
| Depth  | 3.88 in  |
| Width  | 8.38 in  |
| Weight | 11 lb    |



Representative Image

## Catalog No. TG4323

**Description: 100A 3P GD N1 240V FUSIBLE SW**

**UPC No 783164008678**

**Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > General Duty**

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 100A 3P GD N1 240V FUSIBLE SW

### Descriptors

|          |              |
|----------|--------------|
| Category | General Duty |
|----------|--------------|

### Specifications

|                           |                 |
|---------------------------|-----------------|
| Amperage                  | 100 A           |
| Poles                     | 3               |
| Wires                     | 4               |
| Fusing                    | Fusible         |
| Enclosure                 | NEMA 1 (Indoor) |
| Wire Range (Cu/Al)        | 10-1/0          |
| 240 Vac, NEC Std, 1-ph    | 7.5             |
| 240 Vac, NEC Std, 3-ph    | 15              |
| 240 Vac, Time Delay, 1-ph | 15              |
| 240 Vac, Time Delay, 3-ph | 30              |
| 250 Vdc                   | 20              |
| GSA Compliance            | Yes             |

### Classifications

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

### Dimensions

|        |       |
|--------|-------|
| Height | 21.33 |
| Depth  | 4.9   |
| Width  | 9.39  |
| Weight | 17    |



Representative Image

## Catalog No. TG4323R

**Description: 100A 3P GD N3R 240V FUSIBLESW**

**UPC No 783164008661**

**Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > General Duty**

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 100A 3P GD N3R 240V FUSIBLESW

### Descriptors

|          |              |
|----------|--------------|
| Category | General Duty |
|----------|--------------|

### Specifications

|                           |                   |
|---------------------------|-------------------|
| Amperage                  | 100 A             |
| Poles                     | 3                 |
| Wires                     | 4                 |
| Fusing                    | Fusible           |
| Enclosure                 | NEMA 3R (Outdoor) |
| Wire Range (Cu/Al)        | 10-1/0            |
| 240 Vac, NEC Std, 1-ph    | 7.5 hp            |
| 240 Vac, NEC Std, 3-ph    | 15 hp             |
| 240 Vac, Time Delay, 1-ph | 15 hp             |
| 240 Vac, Time Delay, 3-ph | 30 hp             |
| 250 Vdc                   | 20 hp             |
| GSA Compliance            | Yes               |

### Classifications

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

### Dimensions

|        |          |
|--------|----------|
| Height | 21.05 in |
| Depth  | 5.04 in  |
| Width  | 9.32 in  |
| Weight | 17 lb    |

## Catalog No. TG4324

**Description:** 200A 3P GD N1 240V SW

**UPC No** 783164008708

**Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > General Duty**

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 200A 3P GD N1 240V SW



Representative Image

### Descriptors

|          |              |
|----------|--------------|
| Category | General Duty |
|----------|--------------|

### Specifications

|                           |                 |
|---------------------------|-----------------|
| Amperage                  | 200 A           |
| Poles                     | 3               |
| Wires                     | 4               |
| Fusing                    | Fusible         |
| Enclosure                 | NEMA 1 (Indoor) |
| Wire Range (Cu/Al)        | 2-250           |
| 240 Vac, NEC Std, 1-ph    | 15              |
| 240 Vac, NEC Std, 3-ph    | 25              |
| 240 Vac, Time Delay, 1-ph | 15              |
| 240 Vac, Time Delay, 3-ph | 50              |
| GSA Compliance            | Yes             |

### Classifications

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

### Dimensions

|        |       |
|--------|-------|
| Height | 29.11 |
| Depth  | 5.2   |
| Width  | 13.42 |
| Weight | 32    |



Representative Image

## Catalog No. TG4324R

**Description: 200A 3P GD N3R 240V FUSIBLE SW**

**UPC No 783164008685**

**Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > General Duty**

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 200A 3P GD N3R 240V FUSIBLE SW

### Descriptors

|          |              |
|----------|--------------|
| Category | General Duty |
|----------|--------------|

### Specifications

|                           |                   |
|---------------------------|-------------------|
| Amperage                  | 200 A             |
| Poles                     | 3                 |
| Wires                     | 4                 |
| Fusing                    | Fusible           |
| Enclosure                 | NEMA 3R (Outdoor) |
| Wire Range (Cu/Al)        | 2-250             |
| 240 Vac, NEC Std, 1-ph    | 15 hp             |
| 240 Vac, NEC Std, 3-ph    | 25 hp             |
| 240 Vac, Time Delay, 1-ph | 15 hp             |
| 240 Vac, Time Delay, 3-ph | 50 hp             |
| GSA Compliance            | Yes               |

### Classifications

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

### Dimensions

|        |          |
|--------|----------|
| Height | 28.78 in |
| Depth  | 5.29 in  |
| Width  | 13.37 in |
| Weight | 32 lb    |



Representative Image

## Catalog No. TG3221R

**Description: 30A 2P GD N3R 240V SAFETY SWITCH**

**UPC No 783164008487**

**Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > General Duty**

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 30A 2P GD N3R 240V SAFETY SWITCH

### Descriptors

|          |              |
|----------|--------------|
| Category | General Duty |
|----------|--------------|

### Specifications

|                           |                    |
|---------------------------|--------------------|
| Amperage                  | 30 A               |
| Poles                     | 2                  |
| Wires                     | 3                  |
| Fusing                    | Fusible            |
| Enclosure                 | NEMA 3R (Outdoor)  |
| Wire Range (Cu/Al)        | 12-8 AL<br>14-8 CU |
| 240 Vac, NEC Std, 1-ph    | 1.5 hp             |
| 240 Vac, Time Delay, 1-ph | 3 hp               |
| 250 Vdc                   | 5 hp               |
| GSA Compliance            | Yes                |

### Classifications

|            |     |
|------------|-----|
| cUL Listed | Yes |
| UL Listed  | Yes |

### Dimensions

|        |         |
|--------|---------|
| Height | 9.78 in |
| Depth  | 3.31 in |
| Width  | 6.38 in |
| Weight | 6 lb    |

**by ABB**