



Representative Image

Catalog No. TH3361

Description: 30A 3P HD N1 600V FUSIBLE SW

UPC No 783164009095

Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > Heavy Duty

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 30A 3P HD N1 600V FUSIBLE SW

Descriptors

Category	Heavy Duty
GO Schedule	S1

Specifications

Voltage	600 AC
Amperage	30 A
Poles	3
Wires	3
Fusing	Fusible
Enclosure	NEMA 1 (Indoor)
Options	None
Wire Range (Cu/Al)	12-2
240 Vac, Time Delay, 3-ph	7.5 hp
480 Vac, NEC Std, 1-ph	3 hp
480 Vac, NEC Std, 3-ph	5 hp
480 Vac, Time Delay, 1-ph	7.5 hp
480 Vac, Time Delay, 3-ph	15 hp
600 Vac, NEC Std, 1-ph	3 hp
600 Vac, NEC Std, 3-ph	7.5 hp
600 Vac, Time Delay, 1-ph	10 hp
600 Vac, Time Delay, 3-ph	20 hp
250 Vdc	5 hp
GSA Compliance	Yes

Classifications

cUL Listed	Yes
UL Listed	Yes

Dimensions

by ABB

Dimensions

Height	12.60 in
Depth	4.00 in
Width	8.30 in
Weight	11 lb



Representative Image

Catalog No. TH3361R

Description: 30A 3P HD N3R 600V FUSIBLE

UPC No 783164009088

Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > Heavy Duty

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 30A 3P HD N3R 600V FUSIBLE

Descriptors

Category	Heavy Duty
GO Schedule	S1

Specifications

Voltage	600 AC
Amperage	30 A
Poles	3
Wires	3
Fusing	Fusible
Enclosure	NEMA 3R (Outdoor)
Options	None
Wire Range (Cu/Al)	12-2
240 Vac, Time Delay, 3-ph	7.5 hp
480 Vac, NEC Std, 1-ph	3 hp
480 Vac, NEC Std, 3-ph	5 hp
480 Vac, Time Delay, 1-ph	7.5 hp
480 Vac, Time Delay, 3-ph	15 hp
600 Vac, NEC Std, 1-ph	3 hp
600 Vac, NEC Std, 3-ph	7.5 hp
600 Vac, Time Delay, 1-ph	10 hp
600 Vac, Time Delay, 3-ph	20 hp
250 Vdc	5 hp
GSA Compliance	Yes

Classifications

cUL Listed	Yes
UL Listed	Yes

Dimensions

by ABB

Dimensions

Height	13.10 in
Depth	4.00 in
Width	8.20 in
Weight	11 lb



Representative Image

Catalog No. TH3362

Description: 60A 3P HD N1 600V FUSIBLE SWITCH

UPC No 783164009118

Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > Heavy Duty

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 60A 3P HD N1 600V FUSIBLE SWITCH

Descriptors

Category	Heavy Duty
GO Schedule	S1

Specifications

Voltage	600 AC
Amperage	60 A
Poles	3
Wires	3
Fusing	Fusible
Enclosure	NEMA 1 (Indoor)
Options	None
Wire Range (Cu/Al)	12-2
480 Vac, NEC Std, 1-ph	5 hp
480 Vac, NEC Std, 3-ph	15 hp
480 Vac, Time Delay, 1-ph	20 hp
480 Vac, Time Delay, 3-ph	30 hp
600 Vac, NEC Std, 1-ph	10 hp
600 Vac, NEC Std, 3-ph	15 hp
600 Vac, Time Delay, 1-ph	25 hp
600 Vac, Time Delay, 3-ph	50 hp
125 Vdc	5 hp
250 Vdc	10 hp
GSA Compliance	Yes

Classifications

cUL Listed	Yes
UL Listed	Yes

Dimensions

—
by ABB

Dimensions

Height	21.30 in
Depth	5.00 in
Width	9.10 in
Weight	18 lb



Representative Image

Catalog No. TH3362R

Description: 60A 3P HD N3R 600V FUSIBLE

UPC No 783164009101

Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > Heavy Duty

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 60A 3P HD N3R 600V FUSIBLE

Descriptors

Category	Heavy Duty
GO Schedule	S1

Specifications

Voltage	600 AC
Amperage	60 A
Poles	3
Wires	3
Fusing	Fusible
Enclosure	NEMA 3R (Outdoor)
Options	None
Wire Range (Cu/Al)	12-2
480 Vac, NEC Std, 1-ph	5 hp
480 Vac, NEC Std, 3-ph	15 hp
480 Vac, Time Delay, 1-ph	20 hp
480 Vac, Time Delay, 3-ph	30 hp
600 Vac, NEC Std, 1-ph	10 hp
600 Vac, NEC Std, 3-ph	15 hp
600 Vac, Time Delay, 1-ph	25 hp
600 Vac, Time Delay, 3-ph	50 hp
125 Vdc	5 hp
250 Vdc	10 hp
GSA Compliance	Yes

Classifications

cUL Listed	Yes
UL Listed	Yes

Dimensions

by ABB

Dimensions

Height	22.00 in
Depth	4.80 in
Width	9.20 in
Weight	18 lb



Representative Image

Catalog No. TH3363

Description: 100A 3P HD N1 600V FUSIBLE

UPC No 783164009132

Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > Heavy Duty

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 100A 3P HD N1 600V FUSIBLE

Descriptors

Category	Heavy Duty
GO Schedule	S1

Specifications

Voltage	600 AC
Amperage	100 A
Poles	3
Wires	3
Fusing	Fusible
Enclosure	NEMA 1 (Indoor)
Options	None
Wire Range (Cu/Al)	10-1/0
480 Vac, NEC Std, 1-ph	10 hp
480 Vac, NEC Std, 3-ph	25 hp
480 Vac, Time Delay, 1-ph	30 hp
480 Vac, Time Delay, 3-ph	60 hp
600 Vac, NEC Std, 1-ph	15 hp
600 Vac, NEC Std, 3-ph	30 hp
600 Vac, Time Delay, 1-ph	40 hp
600 Vac, Time Delay, 3-ph	75 hp
250 Vdc	20 hp
GSA Compliance	Yes

Classifications

cUL Listed	Yes
UL Listed	Yes

Dimensions

Height	22.30 in
--------	----------

Dimensions

Depth	4.80 in
Width	9.30 in
Weight	18 lb



Representative Image

Catalog No. TH3363R

Description: 100A 3P HD N3R 600V FUSIBLE

UPC No 783164009125

Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > Heavy Duty

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 100A 3P HD N3R 600V FUSIBLE

Descriptors

Category	Heavy Duty
GO Schedule	S1

Specifications

Voltage	600 AC
Amperage	100 A
Poles	3
Wires	3
Fusing	Fusible
Enclosure	NEMA 3R (Outdoor)
Options	None
Wire Range (Cu/Al)	10-1/0
480 Vac, NEC Std, 1-ph	10 hp
480 Vac, NEC Std, 3-ph	25 hp
480 Vac, Time Delay, 1-ph	30 hp
480 Vac, Time Delay, 3-ph	60 hp
600 Vac, NEC Std, 1-ph	15 hp
600 Vac, NEC Std, 3-ph	30 hp
600 Vac, Time Delay, 1-ph	40 hp
600 Vac, Time Delay, 3-ph	75 hp
250 Vdc	20 hp
GSA Compliance	Yes

Classifications

cUL Listed	Yes
UL Listed	Yes

Dimensions

Height	22.10 in
--------	----------

Dimensions

Depth	4.90 in
Width	9.30 in
Weight	19 lb



Representative Image

Catalog No. TH3364

Description: 200A 3P HD N1 600V FUSIBLE SW

UPC No 783164009156

Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > Heavy Duty

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 200A 3P HD N1 600V FUSIBLE SW

Descriptors

Category	Heavy Duty
GO Schedule	S1

Specifications

Voltage	600 AC
Amperage	200 A
Poles	3
Wires	3
Fusing	Fusible
Enclosure	NEMA 1 (Indoor)
Options	None
Wire Range (Cu/Al)	2-250
480 Vac, NEC Std, 1-ph	25 hp
480 Vac, NEC Std, 3-ph	50 hp
480 Vac, Time Delay, 1-ph	50 hp
480 Vac, Time Delay, 3-ph	125 hp
600 Vac, NEC Std, 1-ph	30 hp
600 Vac, NEC Std, 3-ph	60 hp
600 Vac, Time Delay, 1-ph	50 hp
600 Vac, Time Delay, 3-ph	150 hp
250 Vdc	40 hp
GSA Compliance	Yes

Classifications

cUL Listed	Yes
UL Listed	Yes

Dimensions

Height	31.50 in
--------	----------

Dimensions

Depth	5.10 in
Width	13.30 in
Weight	33 lb



Representative Image

Catalog No. TH3364R

Description: 200A 3P HD N3R 600V FUSIBLE

UPC No 783164009149

Home > Switches & Disconnects > Disconnect & Safety Switches > Safety Switches > Heavy Duty

When it comes to getting the job done right, you can count on safety switches from ABB. ABB offers a wide variety of general duty switches for residential and light commercial purposes, while the extensive line of heavy-duty switches is best suited for commercial and industrial applications. For the toughest industrial environments — such as cement foundries, steel mills and processing plants — dust-tight and stainless steel switches are available. We also offer a variety of double throw switches for emergency generators. No matter the application, we've got you covered with a rugged, reliable and easy-to-install Spec-Setter safety switch. 200A 3P HD N3R 600V FUSIBLE

Descriptors

Category	Heavy Duty
GO Schedule	S1

Specifications

Voltage	600 AC
Amperage	200 A
Poles	3
Wires	3
Fusing	Fusible
Enclosure	NEMA 3R (Outdoor)
Options	None
Wire Range (Cu/Al)	2-250
480 Vac, NEC Std, 1-ph	25 hp
480 Vac, NEC Std, 3-ph	50 hp
480 Vac, Time Delay, 1-ph	50 hp
480 Vac, Time Delay, 3-ph	125 hp
600 Vac, NEC Std, 1-ph	30 hp
600 Vac, NEC Std, 3-ph	60 hp
600 Vac, Time Delay, 1-ph	50 hp
600 Vac, Time Delay, 3-ph	150 hp
250 Vdc	40 hp
GSA Compliance	Yes

Classifications

cUL Listed	Yes
UL Listed	Yes

Dimensions

Height	31.70 in
--------	----------

Dimensions

Depth	5.40 in
Width	13.40 in
Weight	33 lb