

Building connections that last™




SCI® Pipe Nipples






Branded Pipe Nipples

Welded Carbon Steel Sch 40 & Sch 80 Specifications

- Black and hot-dipped galvanized steel pipe conforms to ASTM A53
- Welded steel nipples conform to ASTM A733
- NPT threads on nipples conform to ASME B1.20.1
- Manufacturing facility is ISO 9001:2008 and ISO 14001
- Import nipples have  Trademark and tracking number
- Domestic nipples available upon request
- Galvanized nipples are certified to; NSF/ANSI 372 and California AB1953 Lead Free

Seamless Carbon Steel Sch 80 & XXH Specifications

- Seamless steel pipe used conforms to ASTM A106 Grade B
- Seamless steel nipples conform to ASTM A733
- NPT threads on nipples conform to ASME B1.20.1
- Manufacturing facility is ISO 9001:2008 and ISO 14001
- Import nipples have  Trademark and heat number
- Domestic nipples available upon request

Seamless Red Brass Sch 40 Specifications

- Seamless brass pipe conforms to ASTM B43
- Seamless brass nipples conform to ASTM B687
- NPT threads on nipples conform to ASME B1.20.1
- Certified to California AB1953 Lead Free, Section 1417(d) of SDWA

Stainless Steel Sch 40 & Sch 80 Specifications

- Stainless steel nipple material conforms to ASTM A312
- Stainless steel nipple dimensions conform to ASTM A733 and ASME B36.19
- NPT threads on stainless nipples conform to ASME B1.20.1
- Manufacturing facility is ISO 9001:2008
- Hex and king combo nipples cast in conformance to ASTM A351

Note: Special end finishes and lengths available upon request



Steel Nipples - Schedule 40 Welded

Fig. 83N14 & 84N14 Black and Galvanized Schedule 40 Welded Carbon Steel Pipe Nipples

Size in	Close Length in	Weight per Each (lb)																
		Packing (Inner/Master)																
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6	7	8	9	10	11	12
1/8	3/4	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.10	0.12	0.15	0.16	0.18	0.21	0.23	0.25
		25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/200	25/200	25/200
1/4	7/8	0.02	0.04	0.06	0.07	0.09	0.11	0.13	0.14	0.16	0.18	0.20	0.23	0.27	0.30	0.34	0.38	0.41
		25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/300	25/300	25/300	25/200	25/200	25/200	20/160	20/160
3/8	1	0.03	0.06	0.09	0.11	0.14	0.16	0.19	0.22	0.24	0.27	0.30	0.35	0.40	0.46	0.51	0.56	0.62
		25/400	25/400	25/400	25/400	25/400	25/300	25/300	25/200	25/200	25/200	25/200	25/150	25/150	25/100	25/100	25/100	25/100
1/2	1-1/8	0.05	0.08	0.12	0.15	0.19	0.22	0.26	0.29	0.33	0.36	0.40	0.47	0.54	0.61	0.68	0.75	0.83
		25/400	25/400	25/400	25/300	25/300	25/200	25/200	25/200	25/200	25/150	25/150	25/150	25/100	25/100	25/100	25/75	25/75
3/4	1-3/8	0.08	0.10	0.15	0.20	0.24	0.29	0.34	0.39	0.43	0.48	0.53	0.62	0.72	0.81	0.91	1.00	1.09
		25/400	25/400	25/300	25/300	25/200	25/200	25/150	25/150	25/100	25/100	25/100	25/75	25/75	25/50	25/50	25/50	25/50
1	1-1/2	0.14		0.16	0.23	0.30	0.37	0.44	0.51	0.58	0.65	0.72	0.86	1.00	1.14	1.28	1.42	1.56
		25/200		25/200	25/150	25/150	25/100	25/100	25/100	25/75	25/75	25/50	25/50	25/50	25/50	20/40	20/40	20/40
1-1/4	1-5/8	0.21		0.27	0.36	0.45	0.55	0.64	0.74	0.83	0.93	1.02	1.21	1.40	1.59	1.78	1.97	2.16
		25/150		25/100	25/100	25/100	25/50	25/50	25/50	25/50	25/50	25/50	15/30	15/30	15/30	-/30	-/30	-/30
1-1/2	1-3/4	0.26		0.32	0.43	0.55	0.66	0.77	0.89	1.00	1.11	1.23	1.45	1.68	1.91	2.13	2.36	2.59
		25/100		25/100	25/50	25/50	25/50	25/50	25/50	20/40	20/40	20/40	-/35	-/35	-/35	-/15	-/15	-/15
2	2	0.46		0.61	0.76	0.91	1.07	1.22	1.37	1.52	1.68	1.98	2.28	2.59	2.89	3.20	3.50	
		25/50		25/50	-/50	-/25	-/25	-/25	-/25	-/25	-/25	-/18	-/18	-/18	-/14	-/14	-/14	-/14
2-1/2	2-1/2	0.75			0.95	1.19	1.43	1.67	1.91	2.16	2.40	2.88	3.36	3.85	4.33	4.81	5.30	
		-/36			-/36	-/27	-/27	-/24	-/18	-/18	-/18	-/14	-/12	-/12	-/9	-/9	-/9	-/9
3	2-5/8	0.99			1.19	1.50	1.82	2.14	2.45	2.77	3.08	3.72	4.35	4.98	5.61	6.24	6.88	
		-/24			-/24	-/18	-/18	-/16	-/12	-/12	-/12	-/9	-/8	-/8	-/6	-/6	-/6	-/6
3-1/2	2-3/4	2.08					3.03	3.41	3.79	4.17	4.55	5.31	6.10	6.83	7.59	8.34	9.11	
		-/15					-/12	-/10	-/8	-/8	-/8	-/5	-/5	-/5	-/4	-/4	-/4	-/4
4	2-7/8	1.74					3.59	4.04	4.49	4.94	5.39	6.29	7.19	8.09	8.99	9.89	10.79	
		-/15					-/12	-/10	-/8	-/8	-/8	-/5	-/5	-/5	-/4	-/4	-/4	-/4
5	3	4.26					3.83	4.31	5.05	5.72	6.27	6.27	8.70	10.96	11.14	12.25	13.58	
		-/4					-/4	-/4	-/2	-/2	-/2	-/2	-/2	-/2	-/2	-/2	-/2	-/2
6	3-1/8	3.19					4.17	5.06	5.94	6.83	7.72	11.06	11.27	13.04	14.82	16.59	18.37	
		-/4					-/4	-/4	-/2	-/2	-/2	-/2	-/2	-/2	-/2	-/2	-/1	-/1
8	3-1/2	6.87										12.83	14.97	17.59	19.24	21.38	23.52	27.12
		-/1										-/1	-/1	-/1	-/1	-/1	-/1	-/1

Size in	Weight per Each (lb)						
	Packing (Pieces / Bundle)						
	18	24	30	36	48	60	72
1/2	1.26	1.68	2.11	2.54	3.39	4.25	5.10
	5	5	5	5	5	5	5
3/4	1.67	2.23	2.80	3.37	3.94	5.64	6.78
	5	5	5	5	5	5	5
1	18.03	13.25	4.09	4.93	6.60	8.28	9.96
	5	5	5	5	5	5	5
1-1/4	3.30	4.44	5.58	6.72	9.00	11.28	13.55
	2	2	2	2	2	2	2
1-1/2	3.95	5.31	6.67	8.03	10.75	13.48	16.20
	2	2	2	2	2	2	2
2	5.33	7.16	8.99	10.82	14.47	18.13	21.78
	2	2	2	2	2	2	2
2-1/2	7.73	11.10	14.49	16.90	22.70	30.00	34.00
	1	1	1	1	1	1	1
3	10.68	14.47	18.26	22.06	29.64	37.23	44.00
	1	1	1	1	1	1	1
4	15.18	20.58	25.98	31.38	42.18	52.98	63.78
	1	1	1	1	1	1	1
6	28.46	34.78	39.68	45.94	56.91	66.40	79.35
	1	1	1	1	1	1	1

NIPPLES

Fig. 83NA4 & 84NA4 Schedule 40 Tote Tray Assortments

Size in	Part Number		Package Contents of Each Nipple Size											Total Pieces	Weight lb	
	Black	Galvanized	Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6			
1/2	83NA4004C	84NA4004C	6	6	6	6	6	6	6	6	6	6	6	6	66	15
3/4	83NA4006C	84NA4006C	6	6	6	6	6	6	6	6	6	6	6	6	66	19
1	83NB4010C	84NB4010C	6		6	6	6	6	6	6	6	6	6	6	60	25

Fig. 83NB4 & 84NB4 Schedule 40 B Assortments

Size in	Part Number		Package Contents of Each Nipple Size											Total Pieces	Weight lb	
	Black	Galvanized	Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6			
1-1/4	83NB4012C	84NB4012C	6		6	6	6	6	6	6	6	6	6	6	60	37
1-1/2	83NB4014C	84NB4014C	6		6	6	6	6	6	6	6	6	6	6	60	45
2	83NB4020C	84NB4020C	6			6	6	6	6	6	6	6	6	6	54	58

Fig. 83ND4 & 84ND4 Schedule 40 25 Piece D Assortments

Size in	Part Number		Package Contents of Each Nipple Size											Total Pieces	Weight lb
	Black	Galvanized	Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6		
1/2	83ND4004C	84ND4004C	4	3	3	3	2	2	2	1	2	1	2	25	5
3/4	83ND4006C	84ND4006C	6		4	3	2	2	2	1	2	1	2	25	7
1	83ND4010C	-	5		5	3	2	2	2	1	2	1	2	25	10

Fig. 83SR4 & 84SR4 Schedule 40 Single-Run Assortments Thru 6"

Size in	Part Number		Package Contents of Each Nipple Size											Total Pieces	Weight lb	
	Black	Galvanized	Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6			
1/4	83SR4002C	-	1	1	1	1	1	1	1	1	1	1	1	1	11	1
3/8	83SR4003C	-	1	1	1	1	1	1	1	1	1	1	1	1	11	2
1/2	83SR4004C	84SR4004C	1	1	1	1	1	1	1	1	1	1	1	1	11	2
3/4	83SR4006C	84SR4006C	1	1	1	1	1	1	1	1	1	1	1	1	11	3
1	83SR4010C	84SR4010C	1		1	1	1	1	1	1	1	1	1	1	10	4
1-1/4	83SR4012C	84SR4012C	1		1	1	1	1	1	1	1	1	1	1	10	7
1-1/2	83SR4014C	84SR4014C	1		1	1	1	1	1	1	1	1	1	1	10	8
2	83SR4020C	84SR4020C	1			1	1	1	1	1	1	1	1	1	9	10

Fig. 83SR4 & 84SR4 Schedule 40 Single-Run Assortments Thru 12"

Size in	Part Number	Package Contents of Each Nipple Size															Total Pieces	Weight lb			
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6	7	8	9	10			11	12	
1/2	83SR4004120C	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17	6
3/4	83SR4006120C	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17	8
1	83SR4010120C	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16	11
1-1/4	83SR4012120C	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16	16
1-1/2	83SR4014120C	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16	19
2	83SR4020120C	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	15	26

Fig. 83RL4 & 84RL4 Schedule 40 Right and Left Nipples

Size in	Part Number		Packing		Weight lb
	Black	Galvanized	Inner	Master	
1/2 x 4	83RL4004040C	84RL4004040C	25	200	0.26
3/4 x 4	83RL4006040C	84RL4006040C	25	150	0.34
1 x 4	83RL4010040C	84RL4010040C	25	100	0.45
1-1/4 x 4	83RL4012040C	84RL4012040C	25	50	0.65
1-1/2 x 4	83RL4014040C	84RL4014040C	25	50	0.78
2 x 4	83RL4020040C	84RL4020040C	-	25	1.07





Steel Nipples - Schedule 80 Welded

Fig. 83N18 & 84N18 Black and Galvanized Schedule 80 Welded Carbon Steel Pipe Nipples

Size in	Close Length	Weight per Each (lb)																
		Packing (Inner/Master)																
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6	7	8	9	10	11	12
1/8	3/4	0.02	0.04	0.05	0.07	0.08	0.09	0.10	0.11	0.12	0.14	0.16	0.18	0.20	0.22	0.25	0.27	0.30
		25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/300	25/200	25/200	25/200
1/4	7/8	0.03	0.05	0.08	0.10	0.13	0.15	0.17	0.19	0.21	0.24	0.27	0.31	0.35	0.39	0.43	0.45	0.48
		25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/300	25/300	25/300	25/200	25/200	25/150	25/150	25/150	25/100	25/100
3/8	1	0.05	0.08	0.10	0.15	0.18	0.21	0.24	0.27	0.31	0.33	0.37	0.43	0.47	0.53	0.59	0.64	0.70
		25/400	25/400	25/400	25/400	25/300	25/300	25/200	25/200	25/200	25/150	25/150	25/150	25/100	25/100	25/100	25/100	25/100
1/2	1-1/8	0.08	0.11	0.15	0.20	0.24	0.29	0.35	0.39	0.42	0.49	0.52	0.60	0.71	0.73	0.89	0.99	1.05
		25/400	25/400	25/400	25/300	25/200	25/200	25/150	25/150	25/150	25/100	25/100	25/100	25/75	25/75	25/50	25/50	25/50
3/4	1-3/8	0.14	0.16	0.22	0.28	0.34	0.40	0.46	0.53	0.59	0.65	0.71	0.83	0.96	1.09	1.21	1.34	1.46
		25/400	25/400	25/200	25/200	25/150	25/150	25/100	25/100	25/100	25/75	25/75	25/50	25/50	25/50	25/50	20/40	20/40
1	1-1/2	0.21		0.31	0.39	0.48	0.58	0.67	0.76	0.86	0.96	1.05	1.26	1.43	1.62	1.80	2.02	2.18
		25/200		25/200	25/150	25/100	25/100	25/75	25/75	25/50	25/50	25/50	25/50	25/50	20/40	20/40	15/30	15/30
1-1/4	1-5/8	0.31		0.42	0.55	0.65	0.79	0.92	1.06	1.18	1.31	1.43	1.67	1.84	1.54	2.47	2.72	2.99
		25/150		25/100	25/100	25/75	25/50	25/50	25/50	25/50	20/40	20/40	15/30	15/30	15/30	-/20	-/20	-/20
1-1/2	1-3/4	0.41		0.49	0.63	0.77	0.94	1.08	1.25	1.38	1.59	1.71	2.04	2.34	2.63	2.88	3.33	3.57
		25/100		25/100	25/50	25/50	25/50	25/50	-/50	-/40	-/32	-/32	-/25	-/20	-/20	-/10	-/10	-/10
2	2	0.66			0.89	1.09	1.29	1.51	1.77	1.99	2.24	2.35	2.01	3.17	3.59	4.00	4.40	4.90
		25/50			25/50	-/50	-/25	-/25	-/25	-/25	-/25	-/25	-/25	-/18	-/18	-/15	-/12	-/12
2-1/2	2-1/2	1.19				1.49	1.74	2.05	2.37	2.67	2.98	3.33	3.89	4.61	5.21	5.91	6.50	7.17
		-/36				-/36	-/27	-/27	-/24	-/18	-/18	-/18	-/14	-/12	-/9	-/9	-/9	-/8
3	2-5/8	1.75				2.05	2.47	2.90	3.25	3.74	4.15	4.50	5.29	6.27	7.39	8.00	9.76	10.64
		-/24				-/24	-/18	-/18	-/16	-/12	-/12	-/12	-/9	-/8	-/8	-/6	-/6	-/6
3-1/2	2-3/4	2.61						3.79	4.26	4.74	5.22	5.69	6.64	7.59	8.54	9.49	10.44	11.38
		-/15						-/12	-/10	-/8	-/8	-/8	-/5	-/5	-/4	-/4	-/4	-/4
4	2-7/8	2.84						4.12	4.71	5.44	6.07	6.31	8.04	9.18	10.33	11.48	12.63	13.77
		-/15						-/12	-/10	-/8	-/8	-/8	-/5	-/5	-/4	-/4	-/4	-/4

Fig. 83NA8 Schedule 80 Tote Tray Assortments

Size in	Part Number Black	Package Contents of Each Nipple Size												Total Pieces	Weight lb
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6			
1/2	83NA8004C	6	6	6	6	6	6	6	6	6	6	6	6	66	19
3/4	83NA8006C	6	6	6	6	6	6	6	6	6	6	6	6	66	27
1	83NA8010C	6		6	6	6	6	6	6	6	6	6	6	60	38

Fig. 83SR8 Schedule 80 Single-Run Assortments Thru 6"

Size in	Part Number Black	Package Contents of Each Nipple Size												Total Pieces	Weight lb
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6			
3/8	83SR8003C	1	1	1	1	1	1	1	1	1	1	1	1	11	3
1/2	83SR8004C	1	1	1	1	1	1	1	1	1	1	1	1	11	3
3/4	83SR8006C	1	1	1	1	1	1	1	1	1	1	1	1	11	4
1	83SR8010C	1		1	1	1	1	1	1	1	1	1	1	10	6
1-1/4	83SR8012C	1		1	1	1	1	1	1	1	1	1	1	10	8
1-1/2	83SR8014C	1		1	1	1	1	1	1	1	1	1	1	10	10
2	83SR8020C	1			1	1	1	1	1	1	1	1	1	9	13

NIPPLES



Fig. 73N18 Black Schedule 80 Seamless Carbon Steel Pipe Nipples

Size in	Close Length	Weight per Each (lb)																
		Packing (Inner/Master)																
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6	7	8	9	10	11	12
1/8	3/4	0.02	0.04	0.05	0.07	0.08	0.09	0.10	0.11	0.12	0.14	0.16	0.18	0.20	0.22	0.25	0.27	0.30
		25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/300	25/200	25/200	25/200
1/4	7/8	0.03	0.05	0.08	0.10	0.13	0.15	0.17	0.19	0.21	0.24	0.27	0.31	0.35	0.39	0.43	0.45	0.48
		25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/300	25/300	25/300	25/200	25/200	25/150	25/150	25/150	25/100	25/100
3/8	1	0.05	0.08	0.10	0.15	0.18	0.21	0.24	0.27	0.31	0.33	0.37	0.43	0.47	0.53	0.59	0.64	0.70
		25/400	25/400	25/400	25/400	25/300	25/300	25/200	25/200	25/200	25/150	25/150	25/150	25/100	25/100	25/100	25/100	25/75
1/2	1-1/8	0.08	0.11	0.15	0.20	0.24	0.29	0.35	0.39	0.42	0.49	0.52	0.60	0.71	0.73	0.89	0.99	1.05
		25/400	25/400	25/400	25/300	25/200	25/200	25/150	25/150	25/150	25/100	25/100	25/100	25/75	25/75	25/50	25/50	25/50
3/4	1-3/8	0.14	0.16	0.22	0.28	0.34	0.40	0.46	0.53	0.59	0.65	0.71	0.83	0.96	1.09	1.21	1.34	1.46
		25/400	25/400	25/200	25/200	25/150	25/150	25/100	25/100	25/100	25/75	25/75	25/75	25/50	25/50	25/50	20/40	20/40
1	1-1/2	0.21		0.31	0.39	0.48	0.58	0.67	0.76	0.86	0.96	1.05	1.26	1.43	1.62	1.80	2.02	2.18
		25/200		25/200	25/150	25/100	25/100	25/75	25/75	25/50	25/50	25/50	25/50	20/40	20/40	15/30	15/30	15/30
1-1/4	1-5/8	0.31		0.42	0.55	0.65	0.79	0.92	1.06	1.18	1.31	1.43	1.67	1.84	1.54	2.47	2.72	2.99
		25/150		25/100	25/100	25/75	25/50	25/50	25/50	20/40	20/40	15/30	15/30	15/30	- /20	- /20	- /20	
1-1/2	1-3/4	0.41		0.49	0.63	0.77	0.94	1.08	1.25	1.38	1.59	1.71	2.04	2.34	2.63	2.88	3.33	3.57
		25/100		25/100	25/50	25/50	25/50	25/50	- /50	- /40	- /32	- /32	- /25	- /20	- /20	- /10	- /10	- /10
2	2	0.66			0.89	1.09	1.29	1.51	1.77	1.99	2.24	2.35	2.01	3.17	3.59	4.00	4.40	4.90
		25/50			25/50	- /50	- /25	- /25	- /25	- /25	- /25	- /25	- /18	- /18	- /15	- /12	- /12	- /12
2-1/2	2-1/2	1.19				1.49	1.74	2.05	2.37	2.67	2.98	3.33	3.89	4.61	5.21	5.91	6.50	7.17
		- /36				- /36	- /27	- /27	- /24	- /18	- /18	- /18	- /14	- /12	- /9	- /9	- /9	- /8
3	2-5/8	1.75				2.05	2.47	2.90	3.25	3.74	4.15	4.50	5.29	6.27	7.39	8.00	9.76	10.64
		- /24				- /24	- /18	- /18	- /16	- /12	- /12	- /12	- /9	- /8	- /8	- /6	- /6	- /6
3-1/2	2-3/4	2.61						3.79	4.26	4.74	5.22	5.69	6.64	7.59	8.54	9.49	10.44	11.38
		- /15						- /12	- /10	- /8	- /8	- /8	- /5	- /5	- /4	- /4	- /4	- /4
4	2-7/8	2.84						4.12	4.71	5.44	6.07	6.31	8.04	9.18	10.33	11.48	12.63	13.77
		- /15						- /12	- /10	- /8	- /8	- /8	- /5	- /5	- /4	- /4	- /4	- /4

Fig. 73SR8 Schedule 80 Single-Run Assortments Thru 6"

Size in	Part Number Black	Package Contents of Each Nipple Size												Total Pieces	Weight lb
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6			
1/2	73SR8004C	1	1	1	1	1	1	1	1	1	1	1	1	11	3
3/4	73SR8006C	1	1	1	1	1	1	1	1	1	1	1	1	11	5
1	73SR8010C	1		1	1	1	1	1	1	1	1	1	1	10	7
1-1/4	73SR8012C	1		1	1	1	1	1	1	1	1	1	1	10	9
1-1/2	73SR8014C	1		1	1	1	1	1	1	1	1	1	1	10	11
2	73SR8020C	1		1	1	1	1	1	1	1	1	1	1	9	13
2-1/2	73SR8024C	1				1	1	1	1	1	1	1	1	8	18
3	73SR8030C	1					1	1	1	1	1	1	1	8	25
4	73SR8040C	1							1	1	1	1	1	6	30

FPPI® PTFE Pipe Thread Tape

- Made from PTFE
- Meets MIL Spec T27730A

Part Number	Description/Size	Packing	
		Inner	Master
03-120-00	FPPI® PTFE Tape 1/2" x 520"	-	500
03-121-00	FPPI® PTFE Tape 3/4" x 520"	-	400
03-122-00	FPPI® PTFE Tape 1" x 520"	-	300



NIPPLES


Fig. 75NIX Black XXH Carbon Steel Pipe Nipples

Size in	Close Length	Weight per Each (lb)																
		Packing (Inner/Master)																
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6	7	8	9	10	11	12
1	1-1/2	0.47		0.62	0.76	0.93	1.08	1.22	1.37	1.54	1.69	1.84	2.13	2.44	2.75	3.05	3.36	3.66
		-/100		-/100	-/75	-/50	-/50	-/40	-/40	-/25	-/25	-/25	-/25	-/20	-/20	-/15	-/15	-/15
2	2	1.52			1.89	2.27	2.64	3.01	3.39	3.77	4.15	4.53	5.28	6.02	6.78	7.54	8.29	9.04
		-/25			-/20	-/10	-/15	-/10	-/10	-/10	-/5	-/10	-/5	-/5	-/5	-/5	-/5	-/5
3	2-5/8	4.16				4.17	5.55	6.33	7.13	7.93	8.72	9.56	12.39	14.16	15.49	17.70	18.58	21.24
		-/12				-/12	-/9	-/9	-/8	-/6	-/6	-/6	-/4	-/4	-/4	-/4	-/3	-/3
4	2-7/8	2.84						9.00	10.13	11.25	12.38	13.55	16.13	18.43	20.71	23.00	25.30	27.60
		-/15						-/12	-/10	-/8	-/8	-/8	-/5	-/5	-/4	-/4	-/4	-/4



Steel Nipple Part Numbers

83NI 4 020 120 C



Wall Thickness Chart

Nominal Pipe Size	Outside Diameter	Sch 40 Wall Thickness	Sch 80 Wall Thickness	XXH Wall Thickness
1/8	0.405	0.068	0.095	N/A
1/4	0.540	0.088	0.119	N/A
3/8	0.675	0.091	0.126	N/A
1/2	0.840	0.109	0.147	N/A
3/4	1.050	0.113	0.154	N/A
1	1.315	0.133	0.179	0.358
1-1/4	1.660	0.140	0.191	0.382
1-1/2	1.900	0.145	0.200	0.400
2	2.375	0.154	0.218	0.436
2-1/2	2.875	0.203	0.276	0.552
3	3.500	0.216	0.300	0.600
3-1/2	4.000	0.226	0.318	N/A
4	4.500	0.237	0.337	0.674
5	5.563	0.258	0.375	N/A
6	6.625	0.280	0.432	N/A
8	8.625	0.322	0.500	N/A

Size					
001	1/8	016	1-3/4	090	9
002	1/4	020	2	100	10
003	3/8	024	2-1/2	110	11
004	1/2	030	3	120	12
006	3/4	034	3-1/2	180	18
007	7/8	040	4	240	24
010	1	044	4-1/2	300	30
011	1-1/8	050	5	360	36
012	1-1/4	054	5-1/2	480	48
013	1-3/8	060	6	600	60
014	1-1/2	070	7	720	72
015	1-5/8	080	8		

NIPPLES

Fig. 86NI4 Schedule 40 Seamless Brass Nipples

Size in	Close Length	Weight per Each (lb)																
		Packing (Inner/Master)																
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6	7	8	9	10	11	12
1/8	3/4	0.01	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.10	0.11	0.12	0.14	0.16	0.19	0.21	0.23	0.25
		25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400
1/4	7/8	0.02	0.05	0.06	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.21	0.25	0.29	0.33	0.36	0.40	0.44
		25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/200	25/200	25/200	25/200	25/200
3/8	1	0.04	0.06	0.09	0.12	0.14	0.17	0.19	0.22	0.25	0.27	0.30	0.35	0.40	0.46	0.51	0.56	0.61
		25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/400	25/300	25/300	25/300	25/300	25/150	25/150	25/100	25/100	25/100
1/2	1-1/8	0.06	0.08	0.12	0.16	0.20	0.24	0.28	0.32	0.36	0.40	0.43	0.51	0.59	0.67	0.75	0.82	0.90
		25/400	25/400	25/400	25/300	25/300	25/300	25/200	25/200	25/200	25/200	25/200	25/200	25/100	25/100	25/100	25/100	25/100
3/4	1-3/8	0.10	0.11	0.16	0.21	0.27	0.32	0.37	0.43	0.48	0.53	0.58	0.69	0.77	0.90	1.01	1.11	1.22
		25/400	25/400	25/300	25/300	25/200	25/200	25/150	25/150	25/100	25/100	25/100	25/100	25/75	25/75	25/50	25/50	25/50
1	1-1/2	0.15		0.23	0.30	0.38	0.45	0.52	0.60	0.67	0.75	0.82	0.97	1.12	1.27	1.41	1.56	1.71
		25/200		25/200	25/150	25/150	25/100	25/100	25/100	25/75	25/75	25/50	25/50	25/50	25/50	25/50	20/40	20/40
1-1/4	1-5/8	0.25		0.33	0.44	0.55	0.66	0.77	0.88	0.99	1.10	1.21	1.43	1.65	1.86	2.08	2.30	2.52
		25/150		25/100	25/100	25/100	25/50	25/50	25/50	25/50	25/50	25/50	25/50	15/30	15/30	15/30	-/30	-/30
1-1/2	1-3/4	0.29		0.36	0.49	0.62	0.75	0.88	1.01	1.14	1.27	1.40	1.66	1.92	2.18	2.45	2.71	2.97
		25/100		25/100	25/50	25/50	25/50	25/50	-/50	-/40	-/40	-/40	-/35	-/25	-/25	-/15	-/15	-/15
2	2	0.47			0.64	0.81	0.98	1.16	1.33	1.50	1.67	1.84	2.19	2.53	2.87	3.22	3.56	3.90
		25/50			25/50	-/50	-/25	-/25	-/25	-/25	-/25	-/25	-/25	-/18	-/18	-/18	-/14	-/14
2-1/2	2-1/2	0.84				1.09	1.34	1.59	1.84	2.09	2.34	2.59	3.08	3.58	4.08	4.58	5.08	5.58
		-/36				-/36	-/27	-/27	-/24	-/18	-/18	-/18	-/14	-/12	-/9	-/9	-/9	-/9
3	2-5/8	1.26				1.53	1.88	2.24	2.60	2.95	3.31	3.67	4.38	5.09	5.81	6.52	7.23	7.95
		-/24				-/24	-/18	-/18	-/16	-/12	-/12	-/12	-/9	-/8	-/8	-/6	-/6	-/6
4	2-7/8	2.20				2.33	2.86	3.39	3.92	4.45	4.98	5.51	6.57	7.63	8.68	9.74	10.80	11.86
		-/15				-/15	-/12	-/12	-/10	-/8	-/8	-/8	-/5	-/5	-/5	-/4	-/4	-/4

Size in	Weight per Each (lb)						
	Packing (Pieces / Bundle)						
	18	24	30	36	48	60	72
1/2	1.37	1.83	2.30	2.77	3.70	4.63	5.56
	5	5	5	5	5	5	5
3/4	1.85	2.49	3.12	3.76	5.03	6.29	7.54
	5	5	5	5	5	5	5
1	2.60	3.49	4.38	5.27	7.05	8.81	10.57
	5	5	5	5	5	5	5
1-1/4	3.84	5.15	6.47	7.78	10.30	12.88	15.45
	5	5	5	5	5	5	5
1-1/2	4.53	6.10	7.66	9.23	12.36	15.45	18.54
	5	5	5	5	5	5	5
2	5.96	8.02	10.08	12.14	16.26	19.95	24.50
	5	5	5	5	5	5	5
2-1/2	8.58	11.57	14.57	17.56	23.20	29.00	38.40
	3	3	3	3	3	3	3
3	12.23	16.51	20.79	25.07	33.63	42.03	50.44
	3	3	3	3	3	3	3
4	18.21	24.56	31.05	37.26	49.96	62.45	74.94
	2	2	2	2	2	2	2




NIPPLES

Fig. 86SR4 Schedule 40 Seamless Brass Single-Run Assortments

Size in	Part Number	Package Contents of Each Nipple Size											Total Pieces	Weight lb	
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6			
1/4	86SR4002C	1	1	1	1	1	1	1	1	1	1	1	1	11	1.5
3/8	86SR4003C	1	1	1	1	1	1	1	1	1	1	1	1	11	2.0
1/2	86SR4004C	1	1	1	1	1	1	1	1	1	1	1	1	11	2.5
3/4	86SR4006C	1	1	1	1	1	1	1	1	1	1	1	1	11	3.5
1	86SR4010C	1		1	1	1	1	1	1	1	1	1	1	10	5.0
1-1/4	86SR4012C	1		1	1	1	1	1	1	1	1	1	1	10	7.0
1-1/2	86SR4014C	1		1	1	1	1	1	1	1	1	1	1	10	8.0
2	86SR4020C	1		1	1	1	1	1	1	1	1	1	1	9	10.0


Specialty Stainless Nipples

Fig. S8346HN - 316 Hex Nipple




Diameter in	Part Number 316	A in	Packing		Weight lb
			Inner	Master	
1/8	S8346HN001	1.30	50	200	0.02
1/4	S8346HN002	1.30	50	200	0.04
3/8	S8346HN003	1.38	50	200	0.08
1/2	S8346HN004	1.67	50	200	0.1
3/4	S8346HN006	1.81	25	100	0.1
1	S8346HN010	1.97	25	100	0.3
1 1/4	S8346HN012	2.28	-	50	0.4
1 1/2	S8346HN014	2.36	-	50	0.6
2	S8346HN020	2.70	-	20	0.9

Fig. S8346RH - 316 Reducing Hex Nipple



Diameter in	Part Number 316	A in	Packing		Weight lb
			Inner	Master	
1/4 x 1/8	S8346RH002001	1.30	50	200	0.04
3/8 x 1/4	S8346RH003002	1.38	50	200	0.08
1/2 x 3/8	S8346RH004003	1.67	50	200	0.1
3/4 x 1/2	S8346RH006004	1.81	25	100	0.1
1 x 3/4	S8346RH010006	1.97	25	100	0.3
1-1/4 x 1	S8346RH012010	2.28	-	50	0.4
1-1/2 x 1-1/4	S8346RH014012	2.36	-	50	0.6
2 x 1-1/2	S8346RH020014	2.70	-	20	0.9

Fig. S8346KN - 316 King Nipple Hose x Threaded



Diameter in	Part Number 316	A in	Packing		Weight lb
			Inner	Master	
1/8	S8346KN001	1.57	25	100	0.02
1/4	S8346KN002	1.77	25	100	0.05
3/8	S8346KN003	1.97	25	100	0.07
1/2	S8346KN004	2.36	25	100	0.1
3/4	S8346KN006	2.56	25	100	0.2
1	S8346KN010	2.95	-	50	0.3
1 1/4	S8346KN012	3.35	-	40	0.5
1 1/2	S8346KN014	3.54	-	40	0.9
2	S8346KN020	3.94	-	20	1.3
2-1/2	S8346KN024	4.72	-	12	1.7
3	S8346KN030	5.12	-	5	2.0
4	S8346KN040	5.51	-	5	4.6

NIPPLES



Fig. S834 - Sch 40 Welded 304/304L & 316/316L Nipple Weights

Size in	Close Length	Weight per Each (lb)													
		Packing (Inner/Master)													
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6	8	10	12
1/8	3/4	0.01	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.11	0.11	0.12	0.16	0.21	0.25
		25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/100	25/100	25/100
1/4	7/8	0.03	0.04	0.06	0.08	0.09	0.10	0.13	0.14	0.15	0.18	0.20	0.27	0.35	0.42
		25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/100	25/100
3/8	1	0.03	0.06	0.08	0.10	0.12	0.15	0.18	0.20	0.22	0.23	0.26	0.35	0.48	0.52
		25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/100	25/100	25/100	25/100	25/50	25/50
1/2	1-1/8	0.06	0.08	0.12	0.15	0.18	0.22	0.25	0.29	0.32	0.36	0.39	0.52	0.66	0.80
		25/200	25/200	25/200	25/100	25/100	25/100	25/100	25/100	25/100	25/100	25/100	25/100	25/50	25/50
3/4	1-3/8	0.10	0.11	0.16	0.20	0.24	0.29	0.34	0.38	0.43	0.47	0.52	0.73	0.91	1.09
		25/200	25/200	25/100	25/100	25/100	25/100	25/50	25/50	25/50	25/50	25/50	25/50	-/25	-/25
1	1-1/2	0.15		0.22	0.25	0.36	0.40	0.47	0.53	0.62	0.66	0.77	1.01	1.28	1.55
		25/100		25/100	25/50	25/50	25/50	25/50	25/50	25/50	-/25	-/25	-/25	-/25	-/25
1-1/4	1-5/8	0.23		0.32	0.40	0.49	0.60	0.62	0.72	0.81	0.94	0.97	1.39	2.01	2.30
		25/50		25/50	25/50	25/50	-/25	-/25	-/25	-/25	-/25	-/25	-/25	-/15	-/15
1-1/2	1-3/4	0.30		0.32	0.47	0.56	0.68	0.80	0.91	1.00	1.10	1.27	1.65	2.07	2.43
		25/100		25/100	-/25	-/25	-/25	-/25	-/25	-/20	-/20	-/20	-/12	-/12	-/12
2	2	0.40			0.62	0.71	0.93	1.07	1.23	1.37	1.55	1.67	2.20	2.90	3.46
		-/25			-/25	-/25	-/12	-/12	-/12	-/12	-/12	-/12	-/12	-/9	-/7
2-1/2	2-1/2	0.73				0.95	1.35	1.45	1.80	2.04	2.16	2.38	3.15	4.05	5.10
		-/18				-/18	-/13	-/13	-/12	-/9	-/9	-/9	-/6	-/4	-/4
3	2-5/8	1.19				1.49	1.68	2.06	2.38	2.67	2.95	3.17	4.50	5.95	8.16
		-/12				-/12	-/9	-/9	-/8	-/6	-/6	-/6	-/4	-/3	-/3
4	2-7/8	1.94						2.99	3.63	3.68	4.53	4.44	6.70	7.55	9.25
		-/7						-/6	-/5	-/4	-/4	-/4	-/2	-/2	-/2
6	3-1/8	4.69						6.32				9.01			18.02
		-/1						-/1				-/1			-/1

Fig. S858 - Sch 80 Seamless 304/304L & 316/316L Weights

Size in	Close Length	Weight per Each (lb)													
		Packing (Inner/Master)													
		Close	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6	8	10	12
1/8	3/4	0.02	0.04	0.05	0.06	0.07	0.08	0.09	0.11	0.12	0.13	0.15	0.20	0.25	0.30
		25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/100	25/100	25/100
1/4	7/8	0.03	0.06	0.08	0.10	0.13	0.15	0.17	0.27	0.21	0.23	0.26	0.35	0.45	0.55
		25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/100	25/100
3/8	1	0.05	0.08	0.11	0.15	0.17	0.20	0.24	0.27	0.30	0.34	0.37	0.53	0.67	0.82
		25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/200	25/100	25/100	25/100	25/50	25/50
1/2	1-1/8	0.08	0.11	0.16	0.20	0.24	0.29	0.34	0.54	0.42	0.47	0.52	0.35	0.87	1.06
		25/200	25/200	25/200	25/100	25/100	25/100	25/100	25/100	25/100	25/100	25/100	25/100	25/50	25/50
3/4	1-3/8	0.14	0.15	0.22	0.27	0.33	0.40	0.46	0.73	0.55	0.62	0.69	0.94	1.20	1.38
		25/200	25/200	25/100	25/100	25/100	25/100	25/50	25/50	25/50	25/50	25/50	25/50	-/25	-/25
1	1-1/2	0.22		0.31	0.39	0.46	0.56	0.65	1.04	0.83	0.91	1.00	1.33	1.67	2.00
		25/100		25/100	25/50	25/50	25/50	25/50	25/50	25/50	-/25	-/25	-/25	-/25	-/25
1-1/4	1-5/8	0.34		0.40	0.55	0.67	0.79	0.90	1.03	1.15	1.28	1.40	1.88	2.37	2.85
		25/50		25/50	25/50	25/50	-/25	-/25	-/25	-/25	-/25	-/25	-/25	-/15	-/15
1-1/2	1-3/4	0.47		0.54	0.71	0.87	1.04	1.21	1.37	1.53	1.69	1.85	1.62	3.17	3.80
		25/100		25/100	-/25	-/25	-/25	-/25	-/25	-/25	-/20	-/20	-/20	-/12	-/7
2	2	0.70			0.92	1.13	1.35	1.50	2.42	1.95	2.10	2.25	3.06	3.98	4.77
		-/25			-/25	-/25	-/12	-/12	-/12	-/12	-/12	-/12	-/12	-/9	-/7
3	2-5/8	1.75						2.67				4.00	6.49	8.11	9.74
		-/12						-/9				-/6	-/4	-/3	-/3

NIPPLES

About ASC Engineered Solutions

ASC Engineered Solutions is defined by quality—in its products, services and support. With more than 1,400 employees, the company’s portfolio of precision-engineered piping support, valves and connections provides products to more than 4,000 customers across industries, such as mechanical, industrial, fire protection, oil and gas, and commercial and residential construction. Its portfolio of leading brands includes ABZ Valve®, AFCON®, Anvil®, Anvil EPS, Anvil Services, Basic-PSA, Beck®, Catawissa, Cooplet®, FlexHead®, FPPI®, Gruvlok®, J.B. Smith, Merit®, North Alabama Pipe, Quadrant®, SCI®, Sharpe®, SlideLOK®, SPF® and SprinkFLEX®. With headquarters in Commerce, CA, and Exeter, NH, ASC also has ISO 9001:2015 certified production facilities in PA, TN, IL, TX, AL, LA, KS, and RI.



asc-es.com

Building connections that last™

