

ICC-ES PMG Product Certificate

PMG-1577



Effective Date: August 2020

This listing is subject to re-examination in one year.

www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543 A Subsidiary of the International Code Council®

CSI: Division: 22 00 00—PLUMBING
Section: 22 13 16 – Sanitary Waste and Vent Piping

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Products: PVC Cellular Core DWV Pipe

Listee: Genova USA
1760 W. Associated Ave.
Salt Lake City, UT 84104
www.genovaproducts.com

Additional Listee:

Plastic Services & Products, LLC (PSP)
1760 W. Associated Ave.
Salt Lake City, UT 84104
www.psppipe.com

Compliance with the following codes:

2021, 2018, 2015, 2012, and 2009 *International Plumbing Code*® (IPC)
2018, 2015, 2012, and 2009 *International Residential Code*® (IRC)
2021, 2018, 2015, 2012 and 2009 *Uniform Plumbing Code* (UPC)*
2017 *Uniform Illustrated Plumbing Code – India*™ (UIPC)*
2018, 2015, and 2012 *National Standard Plumbing Code* (NSPC)**
2019 and 2016 *California Plumbing Code* (CPC)*
2017 *City of Los Angeles Plumbing Code*
2017 *Code of Massachusetts Regulations 248 CMR 10.00: Uniform State Plumbing Code*

*Copyrighted publication of the International Association of Plumbing and Mechanical Officials

Compliance with the following standards:

ASTM F891-2016, Standard Specification for Coextruded Poly (Vinyl Chloride) (PVC) Plastic Pipe with Cellular Core
NSF/ANSI 14-2019, Plastics Piping System Components and Related Materials

Identification:

Listings are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the listing or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this listing, or as to any product covered by the listing.

Piping: The piping shall be marked every 5 feet (1.5 m) with the following:

- a) Manufacturer's name or trademark;
- b) Standard designation, ASTM F891;
- c) The wording "COEXTRUDED CELLULAR CORE PVC PIPE";
- d) Marking for identification of each series shall be as follows: IPS Schedule 40 Series Coextruded Cellular Core PVC DWV Pipe, PS-25 or 50 or 100 Series Coextruded Cellular Core PVC Communication Conduit, and Sewer and Drain Series Coextruded Cellular Core PVC Sewer and Drain, or Highway Underdrain Pipe;
- e) Nominal pipe size and series (for example: 1 1/4 in. IPS Schedule 40 series).;
- f) "DWV pipe";
- g) Date or date code of manufacture; and
- h) ICC-ES PMG mark of conformity.

Installation:

PVC Cellular Core DWV pipe must be installed in accordance with the manufacturer's published installation instructions, the applicable codes and this listing. Where differences exist, the instructions in this listing must govern.

Models:

PVC Cellular Core DWV Plain End
1-1/2", 2", 3", and 4" DIA.

PVC Cellular Core DWV Bell End
3" and 4" DIA.

Conditions of Listing:

1. PVC Cellular Core DWV pipe must be installed in accordance with the manufacturer's published installation instructions, the applicable codes and this listing. Where differences exist, the instructions in this listing must govern
2. Pipe recognized in this listing are manufactured under a quality control program with surveillance inspections by ICC-ES.