

Dual Plate Iron Check Valve

Feature

150# WOG Cast iron body Dual plate discs Wafer style body Bronze discs EPDM seat


Pressure/ Tem	perature rating
150# WOG	180 °F max. temp.

Material

	Part	Material	Specification			
1	Body	Cast Iron	A126-B			
2	Disc (plate)	Bronze	ASTM B584 C83600			
3	Spring	Stainless steel	ASTM A313 S31600			
4	Hinge pin	Stainless steel	ASTM A276 S30400			
5	Stop pin	Stainless steel	ASTM A276 S30400			
6	Plug	Steel	-			
7	Body washer	PTFE	PTFE			
8	Spring washer	PTFE	PTFE			
9	Eye bolt ¹	Steel	ASTM A307-A			
10	Seat	EPDM	-			

¹ Only on 6"-12"





Dimension, Weight

[in] [in] [in] [in] [in] [in] [lb] 2" 4.02 2.56 1.69 1.13 0.75 3 2-½" 4.76 3.15 1.81 1.42 0.79 4 3" 5.24 3.70 2.52 1.71 1.10 7 4" 6.73 4.61 2.52 0.23 1.06 11 5" 7.60 5.71 2.76 2.59 1.18 15 6" 8.62 6.69 2.99 3.09 1.22 20							_		_		_	
2" 4.02 2.56 1.69 1.13 0.75 3 2-½" 4.76 3.15 1.81 1.42 0.79 4 3" 5.24 3.70 2.52 1.71 1.10 7 4" 6.73 4.61 2.52 0.23 1.06 11 5" 7.60 5.71 2.76 2.59 1.18 15 6" 8.62 6.69 2.99 3.09 1.22 20	E	Φ	ÞΕ	Ξ		В		GR		F		Weight
2-½" 4.76 3.15 1.81 1.42 0.79 4 3" 5.24 3.70 2.52 1.71 1.10 7 4" 6.73 4.61 2.52 0.23 1.06 11 5" 7.60 5.71 2.76 2.59 1.18 15 6" 8.62 6.69 2.99 3.09 1.22 20	n.	[ir	n]]	[[in]		[in]		[in]		[lb]
3" 5.24 3.70 2.52 1.71 1.10 7 4" 6.73 4.61 2.52 0.23 1.06 11 5" 7.60 5.71 2.76 2.59 1.18 15 6" 8.62 6.69 2.99 3.09 1.22 20	5	2.5	56	6	1	.69		1.13		0.75	I	3
4" 6.73 4.61 2.52 0.23 1.06 11 5" 7.60 5.71 2.76 2.59 1.18 15 6" 8.62 6.69 2.99 3.09 1.22 20	1	3.1	15	5	1	.81	Γ	1.42		0.79	T	4
5" 7.60 5.71 2.76 2.59 1.18 15 6" 8.62 6.69 2.99 3.09 1.22 20	7	3.7	70	0	2	.52	Γ	1.71		1.10	T	7
6" 8.62 6.69 2.99 3.09 1.22 20	6	4.6	61	1	2	.52	(0.23		1.06	I	11
	7	5.7	71	1	2	.76	:	2.59		1.18		15
01 40 07 0 00 0 50 4 44 4 00 00	6	6.6	69	9	2	.99	;	3.09		1.22		20
8" 10.87 8.82 3.50 4.11 1.30 33	8	8.8	82	2	3	.50	١.	4.11		1.30	ĺ	33

