



Materials/Finishes:	Plain Carbon Steel (137B)	Electro-Galvanized (137G)
	Hot-Dip Galvanized (137HDG)	Plastic Coated (137PC)
	T-304 Stainless Steel (137SS)	T-316 Stainless Steel (137SX)
Variants:	Plain Carbon Steel for DIP (137DIPB)	Hot-Dip Galvanized for DIP (137DIPHDG)
	T-304 Stainless Steel for DIP (137DIPSS)	T-316 Stainless Steel for DIP (137DIPSX)
	Pipe Gard (137PG), Pipe Gard for DIP (137DIPPG) - Please contact factory for details.	
Service:	Designed for support or guide of heavy loads.	
Approvals:	Complies with Federal Specifications WW-H-171-E (Type# 24), A-A-1192 A (Type# 24), and MSS SP-58 and SP-69 (Type# 24).	
Ordering:	Specify figure number, finish and pipe size.	
Notes:	Available domestic and in special dimensions. Please contact factory for details.	

D.I. PIPE SIZE	A	B	C	T	MAX REC LOAD (lbs)
3	1/2-13	4-1/4	4-5/8	3-3/4	2260
4	1/2-13	4-3/4	5-7/16	3-3/4	2260
6	5/8-11	6-1/4	7-3/4	4	3620
8	5/8-11	7-3/8	9-7/8	4	3620
10	3/4-10	8-5/8	12	4-1/4	5420
12	7/8-9	9-7/8	14-1/4	4-1/2	7540
14	7/8-9	11	16-3/8	5	7540
16	7/8-9	12	18-1/2	5	7540
18	1-8	13-3/8	20-5/8	5-1/2	9920
20	1-8	14-1/2	22-3/4	5-5/8	9920
24	1-8	16-5/8	27	5-3/4	9920
30	1-8	19-5/8	33-1/4	6	9920

PIPE SIZE	PIPE OD	A	B	C	T	WGT EACH (lbs)	MAX REC LOAD (lbs)
1/2	0.840	1/4-20	2-3/4	1-3/16	2-3/8	0.10	485
3/4	1.050	1/4-20	2-3/4	1-3/8	2-3/8	0.10	485
1	1.315	1/4-20	2-3/4	1-5/8	2-3/8	0.10	485
1-1/4	1.660	3/8-16	2-7/8	2-1/16	2-3/8	0.26	1220
1-1/2	1.900	3/8-16	3	2-3/8	2-1/2	0.28	1220
2	2.375	3/8-16	3-1/4	2-13/16	2-1/2	0.32	1220
2-1/2	2.875	1/2-13	3-3/4	3-7/16	3	0.70	2260
3	3.500	1/2-13	4	4-1/16	3	0.76	2260
3-1/2	4.000	1/2-13	4-1/4	4-9/16	3	0.80	2260
4	4.500	1/2-13	4-1/2	5-1/16	3	0.86	2260
5	5.563	1/2-13	5	6-1/8	3	1.00	2260
6	6.625	5/8-11	6-1/8	7-3/8	3-3/4	1.98	3620
8	8.625	5/8-11	7-1/8	9-3/8	3-3/4	2.26	3620
10	10.750	3/4-10	8-3/8	11-5/8	4	3.94	5420
12	12.750	7/8-9	9-5/8	13-3/4	4-1/4	6.40	7540
14	14.000	7/8-9	10-1/4	15	4-3/4	8.30	7540
16	16.000	7/8-9	11-1/4	17	4-3/4	9.20	7540
18	18.000	1-8	12-5/8	19-1/8	4-3/4	13.50	9920
20	20.000	1-8	13-5/8	21-1/8	4-3/4	14.60	9920
24	24.000	1-8	15-5/8	25-1/8	4-3/4	16.90	9920
30	30.000	1-8	18-5/8	31-1/8	4-3/4	22.00	9920

PROJECT INFORMATION			APPROVAL STAMP	
Project:			Notes:	
Address:				
Contractor:				
Engineer:				
Date:				
Approved	Approved as Noted	Not Approved		