



**STRAINING ELEMENT DESIGN SPECIFICATION**  
Version: SEOS-0508

Style 'A'  
Cylindrical Screen  
Generally used for 'Y' Type Strainers



Date:	
Pipe Size:	
Material:	
Perforation:	
Mesh: (if applicable)	
Open Area %:	
Flow Direction:	
Req. Pressure Drop:	
Manuf. / Model #:	

Other Comments:



# ELLSWORTH

A John M. Ellsworth Company

**John M. Ellsworth Co., Inc.**

P.O. Box 240072  
8700 West Bradley Road  
Milwaukee, WI 53224


414-354-1414 **PHONE**  
414-362-4371 **FAX**

info@jmesales.com **E-MAIL**  
www.JMEsales.com **WEB**

## STRAINING ELEMENT DESIGN SPECIFICATION

Version: SEOS-0508

**Style 'B'**  
Slanted Type Basket  
Typically used for larger sized Simplex and Duplex  
Basket Strainers.



Date:	
Pipe Size:	
Material:	
Perforation:	
Mesh: (If applicable)	
Open Area %:	
Flow Direction:	
Req. Pressure Drop:	
Manuf. / Model #:	

Other Comments:



# ELLSWORTH

A John M. Ellsworth Company

**John M. Ellsworth Co., Inc.**


P.O. Box 240072  
8700 West Bradley Road  
Milwaukee, WI 53224

414-354-1414 **PHONE**  
414-362-4371 **FAX**

info@jmesales.com **E-MAIL**  
www.JMEsales.com **WEB**

## STRAINING ELEMENT DESIGN SPECIFICATION Version: SEOS-0508

**Style 'C'**  
**Basket Type**  
Typically used for smaller sized Simplex and Duplex  
Basket Strainers.



Date:	
Pipe Size:	
Material:	
Perforation:	
Mesh: (If applicable)	
Open Area %:	
Flow Direction:	
Req. Pressure Drop:	
Manuf. / Model #:	
Other Comments:	



# ELLSWORTH

A John M. Ellsworth Company

**John M. Ellsworth Co., Inc.**

P.O. Box 240072  
8700 West Bradley Road  
Milwaukee, WI 53224


414-354-1414 **PHONE**  
414-362-4371 **FAX**

info@jmesales.com **E-MAIL**  
www.JMESales.com **WEB**

## STRAINING ELEMENT DESIGN SPECIFICATION

Version: SEOS-0508

**Style 'D'**  
Temporary Strainer - Cone Type  
Often referred to as a cone or witch's hat strainer.  
Used during startup operations.




Date:	
Pipe Size:	
Material:	
Perforation:	
Mesh: (If applicable)	
Open Area %:	
Flow Direction:	
Req. Pressure Drop:	
Manuf. / Model #:	

Other Comments:

**STRAINING ELEMENT DESIGN SPECIFICATION**  
Version: SEOS-0508

**Style 'E'**  
Temporary Strainer - Basket Type  
Often referred to as a basket or pilgrim's hat strainer.  
Used during startup operations..



Date:	
Pipe Size:	
Material:	
Perforation:	
Mesh: (If applicable)	
Open Area %:	
Flow Direction:	
Req. Pressure Drop:	
Manuf. / Model #:	

Other Comments: